

PHOTOGRAPHIC ACTIVITY TEST ISO 18916 - RESEARCH REPORT

Job 2721

DATE: 16-Oct-2024

PREPARED FOR: Anja Zäsar - Neschen
Gewerbegebiet Ost/Werk II Hans-Neschen-Straße 1, D-31675 Bückeburg
MATERIAL: Filmoplast® R
CONTROL: Whatman No. 1 filter paper

SILVER IMAGE INTERACTION

RESULT: PASS

Density change of control:	-0.89	Percentage
Upper pass/fail limit:	-0.71	-20%
Density change of material:	-0.85	-4%
Lower pass/fail limit:	-1.06	20%

Density change caused by material must be equal to density change caused by control $\pm 20\%$

GELATIN STAINING

RESULT: PASS

Density change of control:	0.10
Stain limit:	0.18
Density change of material:	0.10

Stain caused by material must be less than stain caused by control ± 0.08

MOTTILING OF IMAGE INTERACTION DETECTOR

RESULT: PASS

Visual assessment of uniform action



OPERATOR: Meredith Noyes

PAT PERFORMANCE:	PASS
-------------------------	-------------

MUST PASS ALL CRITERIA TO PASS PAT

Note: When selecting enclosures, the PAT should be used in conjunction with ISO 18902.

This certificate is valid for this specific lot of product until any date and for subsequent lots until:

17-Oct-2025

This certificate is VOID upon any change in product formulation, manufacturer, or manufacturer supplier.