SWATCHBOOK

FLOOR GRAPHICS





OFTEN IMITATED, NEVER SURPASSED

Discover the eye-catching effect of floor graphics Most people look down slightly when they walk making

Most people look down slightly when they walk, making the floor the perfect stage for getting your message across.

This makes floor graphics films ideal as advertising media. Additionally, the floor provides an excellent surface for cost-effective orientation aids in public areas, guiding people to restrooms, exits and much more.

Neschen offers a large range of self-adhesive floor graphics films and laminates for any application.

Discover our solutions for indoor and outdoor applications, protective laminates for even more durability and our ready-to-go products, requiring no laminate at all.

Safety first

Quality, you can rely on: For public spaces, where an antislip surface is mandatory, Neschen offers floor graphics films that have a certified slip resistance.



OVERVIEW FLOOR GRAPHICS FILMS	Material	Thickness	Certification	Additional certification	Durability up to
UV dot print'n'walk printed with latex inks	PVC	200 μm	R9-certified acc. to DIN 51130	EN 13501 fire certification	2 weeks
UV dot print'n'walk printed with UV-curable inks	PVC	200 μm	R9-certified acc. to DIN 51130	EN 13501 fire certification	3 months
UV dot print'n'walk transparent printed with UV-curable inks	PVC	200 μm	R9-certified acc. to DIN 51130	-	3 months
solvoprint® dot print'n'walk R10	PVC	150 μm	R10-certified acc. to DIN 51130	-	3 months
filmolux® easy clear sand	PVC	80 µm	R9-certified acc. to DIN 51130	B1, M1 fire certification	6 months
filmolux® FGS	PVC	185 µm	R9-certified acc. to DIN 51130	EN 14901 for sports facilities	1 year
filmolux® scratch	PET	130 µm	R10-certified acc. to DIN 51130	M1 fire certification	1 months
filmolux® PP sand	PP	140 µm	R9-certified acc. to DIN 51130	M1 fire certification	6 months



UV DOT PRINT'N'WALK

- 200 µm monomeric PVC
- White, textured
- R9-certified (IFA DIN 51130) after being printed with latex and UV-curable inks
- Certified for third generation HP Latex inks

\RT	NIO		IZES
MKI -	M()	•	/FS

6037895	106,7 cm × 30 m
6037897	137,2 cm × 30 m
6040258	$137,2 \text{ cm} \times 60 \text{ m}$
6042660	160 cm × 30 m
6042659	160 cm × 60 m







UV DOT PRINT'N'WALK TRANSPARENT

- 200 µm monomeric PVC
- Transparent, textured
- For special effects floor remains visible in unprinted areas
- R9-certified (IFA DIN 51130) after being printed with UV-curable inks

ART.-NO.

SIZES

6043975

 $137.2 \text{ cm} \times 30 \text{ m}$







SOLVOPRINT® DOT PRINT'N'WALK R10

- 150 µm monomeric PVC
- White, textured
- R10-certified (IFA DIN 51130)
- Suitable for UV-curable-, latexand solvent inks

ART.-NO. SIZES

6044162 137,2 cm × 30 m 6044136 137,2 cm × 60 m







FILMOLUX® EASY CLEAR SAND

- 80 µm soft PVC
- Transparent, matt, fine sand structure
- R9-certified acc. to IFA DIN 51130
- B1, M1 fire certification

ART	NO.	SIZES

6024270 91,4 cm × 50 m 6017733 104 cm × 50 m 6024271 130 cm × 50 m

6040577 136 cm \times 50 m (on demand)

6017737 140 cm × 50 m 6042816 160 cm × 50 m







FILMOLUX® FGS

- 185 µm polymeric soft PVC
- Transparent, satin matt, grain finish
- Minimal reflection, UV protection
- R9-certified acc. to IFA DIN 51130
- Certified acc. to DIN EN 14904, the European standard for sports floors

ART.-NO. SIZES

6018033 104 cm × 50 m 6020665 140 cm × 50 m







FILMOLUX® SCRATCH

- 130 µm polyester (no shrinkage)
- Transparent, fine sand structure
- Scratch-resistant
- R10-certified acc. to IFA DIN 51130
- M1 fire certification

ART.-NO. SIZES

6006026 88 cm × 50 m 6009878 91,4 cm × 50 m 6008487 104 cm × 50 m







FILMOLUX® PP SAND

- 140 µm polypropylene
- Transparent, fine sand structure
- Scratch-resistant
- Environmentally friendly, PVC-free
- UV protection
- R9-certified acc. to IFA DIN 51130
- M1 fire certification

ARTNO.	SIZES
--------	-------

6014651 91,4 cm × 50 m 6014652 104 cm × 50 m 6014653 124 cm × 50 m TBD 160 cm × 50 m





HAVE YOU EXPLORED NESCHEN'S OTHER PRODUCT PORTFOLIOS?

With our constantly expanding selection of digital print media, we offer products for all applications. Together, we will find individual solutions that meet your requirements.

OTHER SWATCHBOOKS



WALLPAPERPrintable wallpapers, PVC-free



EASY DOT® Self-adhesive media



Neschen Coating GmbH Hans-Neschen-Str. 1 31675 Bückeburg Germany

T +49 5722 207-0

F +49 5722 207-197

E info@neschen.de